

# Global AutoCorrect Command Line Install Switches

Last Modified on Friday, 26-Jan-2024 16:07:03 GMT

Property (case sensitive)	Value
ACCEPTTEULA	0/1
STARTONEXIT	0/1
Serial	0/ <i>Serial Number</i>
Startup_Shortcut	YES/NO
Desktop_Shortcut	YES/NO
AllowUpdate	YES/NO
AllowSharing	YES/NO
Startmenu_Folder	0/ <i>Folder path</i>
APPDATA_FOLDER	0/ <i>Folder path</i>
CustomInstallDir	0/ <i>Folder path</i>

## Using msiexec:

To install AutoCorrect using the **msiexec** command within Windows, the GAC.msi must be used.

When running msiexec, the ACCEPTTEULA parameter must be supplied with the value 1,

```
msiexec /i "C:\Users\USER\Downloads\GAC.msi" ACCEPTTEULA="1"
```

Install with a serial number:

```
msiexec /i "C:\Users\USER\Downloads\GAC.msi" ACCEPTTEULA="1" Serial="123456"
```

For a silent install, the parameter /qn is used:

```
msiexec /i "C:\Users\USER\Downloads\GAC.msi" ACCEPTTEULA="1" /qn
```

To uninstall, the parameter /x is used instead of /i:

```
msiexec /x "C:\Users\USER\Downloads\GAC.msi" /qn
```

---