


# Can the AutoSave/AutoBackup Path be changed?


Last Modified on Wednesday, 16-Oct-2024 10:52:50 BST

Both of these settings can be changed through the config editor. The config editor is called ConfigEditorGUI located in c:\Program Files\ExamWritePad (as below).



There is a json file in here too called ExamWritePadSettings.json which contains all the program settings.

The IT Admin needs to copy the json file somewhere editable like the desktop, then open the Config Editor and open the json file within it.



To change both DefaultBackupPath and DefaultSavePath go to each option in the left (it can be searched

using the filter options) then add the desired path in the Current Value text field. Then save the new settings. This json file can then be pushed out to machines to change the defaults as per instructions [here](#).

The screenshot shows the EWP Config Editor interface. On the left, a table lists various configuration options. The 'DefaultBackupPath' option is highlighted in blue and circled in red. The 'Current Value' field for this option is also circled in red and contains the text 'c:\desktop'. The 'Default Value' field is empty. The 'Description' field contains the text: 'Specify a default backup/recovery path ( leave blank for "All Users Application Data" )' and 'Example usage: C:\Users\Exam\Desktop or %HomeDrive%'.

Option Name	Value
CandidateInformation_LabelText_FullName	Full Name
CandidateInformation_LabelText_Subject	Subject Title
CandidateInformation_LabelText_SyllCode	Specification / Syll
CandidateInformation_LabelText_UnitCode	Component / Unit
CandidateName_DisplayCurrentUsername	0
CaretSize	3
ClearClipboardOnLaunch	0
ClosePrintWindowAfterPrinting	1
DebugApplication	0
<b>DefaultBackupPath</b>	<b>c:\desktop</b>
DefaultExportPath	
DefaultOpenPath	
DefaultPDFReaderOpenPath	
<b>DefaultSavePath</b>	
Disable_BrandingLogo	0
Disable_Btn_TestDefaultPrinter	0
Disable_ContextMenu	0

**Name:** DefaultBackupPath

**Current Value:** See description below to see what each option does in detail  
c:\desktop

**Default Value:**

**Description:**  
Specify a default backup/recovery path ( leave blank for "All Users Application Data" )  
Example usage: C:\Users\Exam\Desktop or %HomeDrive%